

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1010 1200 Standard must be consulted for specific requirements.

Quick Identifier - Common Name Used on Label and List
BAY RUM
303-1590

SECTION 1

MAJESTIC MOUNTAIN SAGE
918 WEST 700 NORTH STE 104
LOGAN UT 84321

Emergency Phone:
(435) 755-0863

*National Paint & Coatings Association/HMIS Ratings:
Health - 1, Flammability - 2, Reactivity - 0, Protective Equipment - C
Minimal - 0, Slight - 1, Moderate - 2, Serious - 3, See Section 8-C*

Date Prepared:
11-13-2002

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Haz List	Hazardous Components Chemical & Common Names	OSHA PEL	ACGIH STEL	NFPA	% Optional	CAS No.
	None					

If flashpoint in Section 4 exceeds 141°F then this mixture is not restricted per IATA regulation 4.1.3.3

Contributors to low flashpoint: N/A

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point: *UNKNOWN* Specific Gravity @ 25°C: *1.0253* Vapor Pressure (mm Hg): *UNKNOWN*

Vapor Density (Air = 1): *UNKNOWN*

Refractive Index: *1.5277 @ 20°C*

Solubility in Water *Insoluble*

Reactivity in water: *None*

Appearance/Color/Odor: *Yellow liquid with typical characteristic odor*

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point: *194°F*

Method Used: *TCC*

Flammable Limits in Air by Volume
LEL Lower: Unknown
UEL Upper: Unknown

Auto Ignition Temperature: *Unknown*

Extinguishing Media: Foam Carbon Dioxide or Dry Chemical

Special Fire Fighting Procedures: Closed Drums Exposed to Fire Should Be Cooled by a Water Spray to Avoid Pressure Buildup

Unusual Fire and Explosion Hazards: *None*